

A large, stylized white silhouette of a skyscraper with multiple vertical sections and a pointed top, set against a grey background. The building is composed of several rectangular blocks of varying heights and widths, creating a stepped, Art Deco-inspired profile.

ELGIN STEEL CABINETRY

ELGIN - ILLINOIS

APARTMENTS

INSTITUTIONS

A stylized white silhouette of a house with a gabled roof, a chimney on the left side emitting a wisp of smoke, and a small square window on the right side. The house is set against a grey background.

RESIDENCES

FOREWORD

STEEL has been traditionally used to attain permanence and durability. For many requirements it is essential; for a great many more it is desirable. A rapid trend toward greater use of steel is constantly taking place. Scientists and engineers are discovering new fields for it. A significant fact is the ever increasing demand in institutions, apartments and homes of today for various items constructed of steel. Kitchen cabinets, bathroom cabinets, radiator covers, and fine furniture, to mention only a few, are now available having that permanence, utility, and attractiveness which is the heritage of steel.

The ELGIN STOVE & OVEN CO. has been engaged in the manufacture of quality steel products for over a quarter of a century and for the past six years has been specializing in the manufacture of steel cabinetry for kitchens, pantries, and institutions. The executive, sales, and technical staff of the steel cabinet division are efficiently trained experts in their field and have devoted years of study to the problems arising in the design, manufacture and installation of steel cabinetry. They have been constantly on the alert in their effort to perfect this equipment, and by diligent research have succeeded in designing as fine a line of precision steel cabinetry as modern methods and engineering ingenuity can produce.

SPECIFICATIONS—ELGIN STEEL CABINETRY STANDARD LINE

Material

All stock shall be best grade selected cold rolled, full pickled, stretcher level No. 1 furniture steel, free from pits, buckles, or rust.

Construction

Cabinets shall be new approved flush type. All joints shall be electric spot welded by Elgin special process, eliminating the weld marks. Cabinet fronts shall be rabbeted to receive $\frac{5}{8}$ in. thick doors and drawer fronts. Doors and drawer fronts shall have a liner welded to exposed front enclosing a layer of sound-absorbing insulation. All openings shall be equipped with rubber bumpers (button-type) installed on face of rabbeting. Doors shall be equipped with glass where indicated.

All drawers shall be equipped with telescopic channel design slides and automatic stops. Drawer stops shall be designed to permit easy removal of drawer for cleaning.

Hardware

All hinges shall be bullet semi-concealed type, die cut from high-grade strip steel, rust-proof, triple-plated, hand-polished, bright chromium finish. Door and drawer knobs shall be cast brass, chromium plated, and hand-polished to a mirror finish.

Finish

All surfaces shall be chemically cleansed and coated with high-heat baking primer. Finish shall be high-grade synthetic enamel baked on at 250° F. for two hours.

Colors

Note: Various standard color combinations including green, white, ivory, tan, and gray can be furnished. Samples sent on request.

DELUXE LINE

Note: The deluxe line is similar to the standard line with the following exceptions (add these clauses to Standard Specifications):

Construction

Stock shall be special heavy gauge. All connecting members shall have corners electrically welded and ground to present a perfectly smooth flush surface. All wall cabinets shall have adjustable shelves hung on latest, most modern adjustable shelf hardware.

Finish

Finish shall have one additional baked coat of highest grade synthetic enamel with additional hand-rubbing and sanding.

Color

Note: Special color combinations to suit the most exacting requirements can be furnished to specifications.

ELGIN STOVE & OVEN CO.

ELGIN, ILL.

NEW YORK CITY, 17 East 42nd St., Suite 423

CHICAGO, ILL., 228 North La Salle St. (Ground Floor)



DISTRIBUTORS IN PRINCIPAL CITIES

ELGIN STEEL CABINETY For Apartments

Important changes in apartment house design have occurred during the last few years. Desirable ground space has increased in value, and apartment arrangement has been developed with this fact in mind. The result is smaller apartments and smaller kitchens.

Elgin engineers have perfected the steel unit of design to the highest degree of efficiency to meet the more exacting requirements of a complete, compact kitchen in a limited space. The significant result of this fact is emphasized in Elgin design by the exclusive arrangement of the component parts consisting of cabinets, refrigerator, sink and range, resulting in a complete, integral steel kitchen.


Steel makes this accomplishment possible, due to its natural virtues of sturdiness, less bulk, and light weight with durability.



THE steel kitchen shown on this page is a very popular arrangement. It is designed for the modern efficiency apartment and is especially practical for remodeling. The complete kitchen includes ample storage area, cutlery drawer, conveniently located refrigerator; range with large cooking top—standard oven and broiler; heavy porcelain counter with integral sink and deep broom cabinet. Similar combinations are available in sizes from 5 ft. 4 in. to 8 ft. 8 in.

Attention is directed to the convenient location of divider cabinets between kitchenette and dinette.


Many similar combinations may be assembled from units shown on standard work sheet.



Kitchen No. 3202—8' $\frac{3}{4}$ " Long

One of the three types of efficiency ranges may be substituted in combinations shown.

Individual counter height top refrigerators similar to one shown in kitchenette, number 3204, may be assembled with standard Elgin Steel Units. Special arrangement for this purpose has been made with the following makes: Electrolux, General Electric, Frigidaire, Westinghouse, and Norge.



Pullmanette No. 3203—4' 6" Long

The flexibility of the new exclusive unit system, developed by Elgin engineers, enables architects, and builders of efficiency apartments to provide complete kitchen facilities in a minimum floor space, resulting in important savings in cubage, and substantial reductions in building cost.



Kitchenette No. 3204—6' $5\frac{1}{4}$ " Long



Kitchenette No. 3205—6' $1\frac{1}{4}$ " Long.

ELGIN EFFICIENCY TYPE RANGES


Shown Assembled with Elgin Cabinets

Ranges Are Available Separately or With Cabinets as Shown

These ranges are constructed to be an integral part of the balance of the steel kitchen

Construction Features


- (1) Chromium plated cooking tops especially large size.
- (2) Oven, broiler, and cooking top can be operated at the same time.
- (3) Air flues surrounding oven act as insulators next to walls or cabinets.
- (4) Manifold and all piping concealed.
- (5) All gas controls placed in one line for instant accessibility.
- (6) Large size ovens 16 in. wide.
- (7) Toncan metal triple-wall construction oven linings.
- (8) The overhead oven range efficiently disposes of cooking odors through air flues surrounding the oven.
- (9) The low oven range is ventilated with canopy to flue through wall cabinet.
- (10) Low oven range has storage compartment 20 in. wide, 21 in. deep and 16 in. high below oven.
- (11) Cooking top flush with sink top or counter.
- (12) New pendant style drop handles.
- (13) Either range is furnished for right- or left-hand installations.
- (14) Colors to match cabinets.




No. 24E
Overhead Oven Type
24 in. wide
21 in. deep
40 in. high



No. 20J
Low Oven Type
20 in. wide
21 in. deep
36 in. high



No. 24RP
24 in. wide
21 in. deep
35 in. high
Total capacity
5.1 cu. ft.
Shelf area
8.2 sq. ft.



No. 30RP
30 in. wide
21 in. deep
35 in. high
Total capacity
7.3 cu. ft.
Shelf area
8.5 sq. ft.


ELGIN EFFICIENCY REFRIGERATORS

For Mechanical Refrigeration


Construction Features

Heavy gauge steel cases.
One-piece porcelain linings.
Dry-Zero odorless insulation.
Newest polished chromium plated hardware and roller type catches.
Heavy composition gaskets to assure effective sealing of doors.
Modern bar type shelves.
Beautiful high-heat synthetic enamel finish to match cabinets.


ELGIN EFFICIENCY COMBINATIONS



No. 3206—5 Ft. Long




















No. 3207—3 Ft. 4 In. Long







No. 3208—5 Ft. Long

DIMENSIONAL DRAWINGS—ELGIN STEEL KITCHEN STANDARD UNITS



ELGIN STOVE & OVEN CO.

DIMENSIONAL DRAWINGS—ELGIN STEEL KITCHEN STANDARD UNITS

BROOM & LINEN CABINETS—82 HIGH
12 OR 21 DEEPDRAWER & CUPBOARD DRESSERS WALL CAB'TS.—12 DEEP
BASE CAB'TS.—21 DEEPBROOM & LINEN CABINETS—90 HIGH
12 OR 21 DEEPALL DRAWER DRESSERS WALL CAB'TS.—12 DEEP
BASE CAB'TS.—21 DEEP

EXTRAS

A. Flour or sugar-bin can be installed on runners below wall cabinets.



B. Bread or cake drawer can be installed in base cabinet. Cutting boards furnished with bread drawers when specified.

C. Cutlery drawer equipped with partitions and plush linings when specified.


D. Assembly of Elgin units in a corner installation showing the use of exclusive corner base with adjoining base and wall cabinet.

E. Details of Elgin permanent steel construction.

Wall cabinet doors may be furnished to equal the 35 in. height of standard line bases.



MONEL METAL PANTRY SINKS AND COUNTERS



Elgin steel cabinetry for the kitchen or pantry may be had with work-tops, sinks, drainboards and splashbacks of Monel metal. For appearance and durability this type of construction is recommended. (For full information on Monel metal see Sweet's Manufacturers' Index—"International Nickel Company.")

Monel metal has the soft lustrous appearance of fine silver which harmonizes with any color scheme. It is strong, durable and easy to keep looking nice. Tops, sinks, drainboards and splashbacks of Monel metal add greatly to the appearance and durability of Elgin steel cabinetry and make them even more serviceable.

COUNTER TOPS

Elgin steel cabinetry may also be specified with porcelain, linoleum, or rubber tile counters. Porcelain counters can be furnished with continuous backs and ends if so desired. They are available in spotless white or in colors to match cabinets. Battleship linoleum or rubber tile counters are ideal for pantry

work tops. Their smooth, soft surfaces are available in various colors or designs. The linoleum or rubber tile is applied to a substantially constructed under-frame, and all edges are faced with a Monel or white metal moulding rabbeted into the counter to present a perfectly flush surface.

VERIBRITE PORCELAIN ENAMELED ONE-PIECE SINK TOPS

To Fit Any Kitchen Combination and to Match Any Color Scheme




This modern arrangement with one or more sink compartments can be furnished in any length up to 132 in. and with backs or ends in any height up to 16 in.


No matter how large or small the kitchen, Veri-

brite sink tops used with Elgin steel cabinetry will add to its attractiveness. Veribrite sink tops are enameled with stainless porcelain on heavy gauge Armco iron. There are no crevices to catch or hold dirt or mar the beauty of the installation.


ELGIN EFFICIENCY COMBINATIONS



No. 3215
5 ft. 2 1/2 in. long



No. 3216
6 ft. 8 in. long



2 ft. 6 in.

No. 3217

2 ft. 6 in.



ELGIN STEEL CABINETRY

For Residences, Hospitals and Institutions


The universal and popular reception which steel has received in supplanting inferior materials prompted Elgin engineers to create an extensive and practical line of steel cabinetry. This line has been designed for a lifetime of heavy-duty service whether it be for a small home, a residence for the pretentious estate, exclusive apartment, or for the hospital and institution.

Elgin steel cabinetry supplies a distinctive finishing touch to modern kitchens and pantries. Leading architects and builders throughout the country, having used the Elgin line, are pleased to offer their endorsement. Architects may specify Elgin steel cabinetry in either the Standard or De Luxe line and be assured of maximum sanitation, permanence, and flexibility.

As a result of careful study of color harmony Elgin now offers a variety of delicate pastel shades which blend with individual decorative schemes.




THE illustration above is a typical example of the convenient arrangement of Elgin De Luxe steel cabinets for a modern residence kitchen. A spacious broom closet is provided at one end and a deep-shelf storage unit for linen, dishes, or staples at the opposite end. Convenient height wall cabinets are located on both sides of the window. Base cabinets supporting a continuous sink have drawer storage, concealed bread drawer, and cooking utensil compartment. The integral sink with combination drain and work top can be furnished in Monel or Allegheny white metal, also in heavy acid-resisting porcelain in color to match cabinets.




De Luxe Butlery No. 3215—11'6" Long



Standard Corner Assembly No. 3216
7'2" on Each Wall




Standard Residence Kitchen
No. 3217—11'2½" Long



Standard Residence Kitchen
No. 3218—13'4" Long

ELGIN STOVE & OVEN CO.

DIMENSIONAL DRAWINGS—ELGIN DE LUXE CABINETRY



C A B I N E T S		W I D T H							D E P T H		H E I G H T									
		18	20	24	30	36	40	48	12	21	22	28	28½	36	47¼	56	62	93¼		
TOP SECTIONS	TM	•	•	•	•	•	•	•	•	•	•	•								
WALL CABINETS METAL DOORS	WM	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
WALL CABINETS GLASS DOORS	WG	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BROOM CABINETS	DA	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
LINEN CABINETS	DL	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
CUPBOARD BASE	CB	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BIN BASE	BB	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PLATE-WARMER BASE	PW	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TOWEL-DRYER BASE	TD	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DRAWER & CUPBOARD BASE	DC	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
ALL DRAWER BASE	AD	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DRAWER BREAD & CAKE BASE	DBC	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BEVERAGE COMPARTMENT	BC	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SILVER-DRAWER & CUPBOARD BASE	SDC	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
LINEN HAMPER BASE	HB	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
VEGETABLE BASE	VB	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TRAY STORAGE BASE	TR	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SILVER STORAGE VAULT	SV	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
WASTE RECEPTACLE BASE	WR	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
GARBAGE RECEPTACLE BASE	GR	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

NOTES

Warmer and dryer bases Monel metal lined.
Silver drawer and cupboard base equipped with plush silver trays and Yale locks.

Vegetable base equipped with sliding wire vegetable trays.
Bin bases and hamper bases have removable bins to facilitate easy cleaning and assure sanitation.

Counters furnished with porcelain, Monel metal, rubber tile, or linoleum tops.


Wall cabinets have adjustable shelves.
Wall cabinets furnished with metal or glass doors.
Beverage compartment furnished with lock if specified.
Special base cabinets in deluxe line such as warmers, vegetable bases, etc., may be worked into the standard line kitchen layouts. In such cases a 6½-in. high steel base section will be furnished to be used with the standard line.

ELGIN STEEL CABINETRY

APARTMENTS

INSTITUTIONS

RESIDENCES



ELGIN STOVE & OVEN CO.
ELGIN, ILL.